OIPE JC141
MAR 2 6 2004
PATENT & TRADEMARK OFFICE

OMB 0651-0031

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et.al.	
Sheet Page 1 of 1	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	REF. NO.	DOCUMENT NUMBER	PUBLICATION DATE	NAME OF PATENTEE OR APPLICANT	LOCATION WHERE RELEVANT PASSAGES OR FIGURES APPEAR

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	REF. NO.	DOCUMENT NUMBER	PUBLICATION DATE	NAME OF PATENTEE OR APPLICANT	LOCATION WHERE RELEVANT PASSAGES OR FIGURES APPEAR	T

OTHER DOCUMENTS *(Including Author, Title, Date, Pertinent Pages, Etc.)*

EXAMINER INITIALS	REF. NO.	
/T.P./	104	Bykov, A.B., et al., " Superionic Conductors $Li_3M_2(PO_4)_3$ (M=Fe, Sc, Cr): Synthesis, Structure and Electrophysical Properties" Solid State Ionics, vol. 38 pp. 31-52 (1990).
/T.P./	105	d'Yvoire, F., et al., "Phase Transition and Ionic Conduction in 3D Skeleton Phosphates" Solid State Ionics, vol. 9 & 10, pp. 851-857 (1983).
/T.P./	106	Subramanian, M.A., et al., "Lithium ion Conductors in the System $AB(IV)_2(PO4)_3$ (B=Ti, Zr and Hf)" Solid State Ionics, vol. 18 & 19, pp. 562-569 (1986).
/T.P./	107	Aono, H., et al., "Electrical Properties and Sinterability for Lithium Germanium Phosphate $Li_{1+x}M_xGe_{2-x}(PO_4)_3$, M= Al, Cr, Ga, Fe, Sc and In Systems" Bull. Chem. Soc. Jpn., vol. 65, pp. 220-2204 (1992).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

OMB 0651-0031

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et.al.	
Sheet Page 1 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

OIPE JC14 MAR 0 8 2004 PATENT & TRADEMARK OFFICE

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	REF. NO.	DOCUMENT NUMBER	PUBLICATION DATE	NAME OF PATENTEE OR APPLICANT	LOCATION WHERE RELEVANT PASSAGES OR FIGURES APPEAR
/T.P./	1*	US 3,728,442 B1	4/17/1973	Pakhomov et al.	
	2*	US 3,736,184 B1	5/29/1973	Dey et al.	
	3*	US 4,009,092 B1	2/22/1977	Taylor	
	4*	US 4,049,891 B1	9/20/1977	Hong et al.	
	5*	US 4,061,711 B1	12/6/1977	Morgan et al.	
	6*	US 4,119,707 B1	10/10/1978	Thome et al.	
	7*	US 4,194,062 B1	3/18/1980	Carides et al.	
	8*	US 4,260,668 B1	4/7/1981	Lecerf et al.	
	9*	US 4,434,216 B1	2/28/1984	Joshi et al.	
	10*	US 4,464,447 B1	8/7/1984	Lazzari et al.	
	11*	US 4,512,905 B1	4/23/1985	Clearfield et al.	
	12*	US 4,668,595 B1	5/26/1987	Yoshino et al.	
	13*	US 4,683,181 B1	7/28/1987	Armand et al.	
	14*	US 4,690,877 B1	9/1/1987	Gabano et al.	
	15*	US 4,707,422 B1	11/17/1987	de Neufville et al.	
	16*	US 4,792,504 B1	12/20/1988	Schwab et al.	
	17*	US 4,828,834 B1	5/9/1989	Nagaura et al.	
/T.P./	18*	US 4,830,939 B1	5/16/1989	Lee et al.	

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et al.	
Sheet Page 2 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

	19*	US 4,935,317 B1	6/19/1990	Fauteux et al.	
/T.P./	20*	US 4,985,317 B1	1/15/1991	Adachi et al.	
	21*	US 4,990,413 B1	2/5/1991	Lee et al.	
	22*	US 5,037,712 B1	8/6/1991	Shackle et al.	
	23*	US 5,130,211 B1	7/14/1992	Wilkinson et al.	
	24*	US 5,232,794 B1	8/3/1993	Krumpelt et al.	
	25*	US 5,262,253 B1	11/16/1993	Golovin	
	26*	US 5,262,548 B1	11/16/1993	Barone	
	27*	US 5,296,436 B1	3/22/1994	Bortinger	
	28*	US 5,300,373 B1	4/5/1994	Shackle	
	29*	US 5,418,090 B1	5/23/1995	Koksbang et al.	
	30*	US 5,425,932 B1	6/20/1995	Tarascon	
	31*	US 5,435,054 B1	7/25/1995	Tonder et al.	
	32*	US 5,514,490 B1	5/7/1996	Chen et al.	
	33*	US 5,702,995 B1	12/30/1997	Fu	
	34*	US 5,871,866 B1	2/16/1999	Barker et al.	
	35*	US 5,910,382 B1	6/8/1999	Goodenough et al.	
	36*	US 6,153,333 B1	11/28/2000	Barker	
/T.P./	37*	US 6,203,946 B1	3/20/2001	Barker et al.	

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER /Thomas Parsons/	DATE CONSIDERED 11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

OMB 0651-0031

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et.al.	
Sheet Page 3 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	REF. NO.	DOCUMENT NUMBER	PUBLICATION DATE	NAME OF PATENTEE OR APPLICANT	LOCATION WHERE RELEVANT PASSAGES OR FIGURES APPEAR	T
/T.P./	38*	CA 2,200,998 A1	9/25/1998	Armand et al.		
	39*	EP 0 680 106 A1	11/2/1995	Takada et al.		
	40*	EP 0 857 699 A2	8/12/1998	Jie et al.		
	41*	EP 0 875 951 A1	11/4/1998	Takada et al.		
	42*	EP 1 049 182 A2	11/2/2000	Ravet et al.		
	43*	JP 61-263069 A	11/21/1986	Yasou et al.		
	44*	JP 5-299101 A2	11/12/1993	Shoji et al.		
	45*	JP 6-251764 A2	9/9/1994	Tanaka et al.		
	46*	JP 10-003818 A2	1/6/1998	Takada et al.		
	47*	JP 10-144349 A2	5/29/1998	Kamino et al.		
	48*	JP 10-144292 A2	5/29/1998	Fujimoto et al.		
	49*	JP 10-208730 A	8/7/1998	Mikito et al.		
	50*	JP 11-045725 A2	2/16/1999	Kamino et al.		
	51*	JP 2000-086215 A2	3/28/2000	Sato et al.		
	52*	JP 2000-128514 A2	5/9/2000	Adachi et al.		
	53*	JP 2000-173654 A2	6/23/2000	Kaburagi et al.		
	54*	JP 2000-200621 A2	7/18/2000	Kobayashi et al.		
	55*	JP 2001-093536 A2	4/6/2001	Kamimura et al.		
/T.P./	56*	WO 97/40541 A1	10/30/1997	Goodenough et al.		

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et al.	
Sheet Page 4 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

/T.P./	57*	WO 98/12761 A1	3/26/1998	Barker et al.		
/T.P./	58*	WO 00/31812 A1	6/2/2000	Barker et al.		

OTHER DOCUMENTS *(Including Author, Title, Date, Pertinent Pages, Etc.)*

EXAMINER INITIALS	REF. NO.	
/T.P./	59*	Kubo, et al., "Synthesis and Electrochemical Properties for $LiNiO_2$ Substituted By Other Elements", Journal of Power Sources 68, (1997), pp. 553-557.
	60*	M.T. Averbuch-Pouchot, "Topics in Phosphate Chemistry", World Scientific Publishing Co., (1996), 5.1.9.2; 5.1.10; 5.4.4.2 – 5.4.4.4.
	61*	A.K. Pahdi, et al., "Tuning the Position of the Redox Couples in Materials with NASICON Structure by Anionic Substitution", Journal of the Electrochemical Society, Vol. 145, No. 5, (May 1998), pp. 1518-1520.
	62*	C. Masquelier, et al., "New Cathode Materials for Rechargeable Lithium Batteries: The 3-D Framework Structures $Li_3Fe_2(XO_4)_3$ (X=P, As)", Journal of Solid State Chemistry 135, (1998), pp. 228-234.
	63*	A.K. Phadi, et al., "Effect of Structure on the Fe_3+/Fe_2+ Redox Couple in Iron Phosphates", Journal of the Electrochemical Society, Vol. 144, No. 5, (May 1997), pp. 1609-1613.
	64*	A. Martinez-Juarez, et al., "Relationship Between Activation Energy and Bottleneck Size for Li+Ion Conduction in NASICON Materials of Composition $LiMM'(PO_4)_3$; M,M'=Ge,Ti,Sn,Hf", J. Phys. Chem. B., Vol. 102, No. 2, (1998) pp. 372-375.
	65*	G.P. Butt, et al., "Lithium Metal Phosphate Cathodes for Li Secondary Batteries", J. Aust. Ceramic Society., vol. 34[1] pp. 60-65, (1998).
	66*	H. Ohkawa et al., "Improvement of Discharge Capacity of β-$Fe_2(SO_4)_3$-type $Li_3V_2(PO_4)_3$ By Stabilizing High Temperature Orthorhombic Phase at Room Temperature", Chem. Lett. (1999), (10), pp. 1017-1018. ABSTRACT ONLY
/T.P./	67*	M. Sato, et al., "Lithium Intercalation and Cathode Performance of $Li_2CrTi(PO_4)_3$, Denki Kagaku oyobi Kogyo Butsuri Kagaku (1998), 66(12), pp. 1236-1240. ABSTRACT ONLY

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

OMB 0651-0031

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et.al.	
Sheet Page 5 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

/T.P./	68*	T. Kasuga, et al., "Microporous Materials With An Integrated Skeleton of $AgTi_2(PO_4)_3$ and $Ti(HPO_4)_2 \cdot 2H_2O$ Crystals", Chem. Mater. (1998), 10 (11), 3562-3567. ABSTRACT ONLY
	69*	S. Okada, et al., "Characteristics of 3D Framework Cathodes With $(XO_4)^{n-}$ polyanions", Prog. Batteries Battery Mater. (1997), 16, pp. 302-308. ABSTRACT ONLY
	70*	C. Masquelier, et al., "New Cathode Materials For Rechargeable Lithium Batteries: The 3D Framework Structures $Li_3Fe_2(XO_4)_3$ (X=P, As)", J. Solid State Chem. (1998), 135(2), pp. 228-234. ABSTRACT ONLY
	71*	M. Sugantha et al., "Li Intercalation Studies On $AFeMP_3O_{12}$", Solid State Ionics (1997), 99(1,2), pp. 79-84. ABSTRACT ONLY
	72*	C. Masquelier, et al., "$Li_3Fe_2(XO_4)_3$, (X=P, As): Three Framework Structures As Hosts For The Reversible Insertion of Lithium", Proc. Power Sources Conf. (1996), 37th, pp. 188-191. ABSTRACT ONLY
	73*	K. Rangan, et al., "AMVMIII $(PO_4)_3$: New Mixed-Metal Phosphates Having NASICON And Related Structures", Inorg. Chem. (1995), 34(7), pp. 1969-72. ABSTRACT ONLY
	74*	I. Bussereau, et al., "Lithium Intercalation in Copper Titanium Phosphate $(Cu(II)_{0.5}Ti_2(PO_4)_3)$, J. Alloys Compd. (1992), 188, pp. 110-12. ABSTRACT ONLY
	75*	H. Hosono, et al., "Porous Glass-Ceramics With Skeleton of Two-Dimensional Layered Crystal Titanium Hydrogen Phosphate Dihydrate $(Ti(HPO_4)_{2.2}H_2O)$", J. Non-Cryst. Solids (1992), 139(1), pp. 86-9. ABSTRACT ONLY
	76*	A. Clearfield, et al., "Preparation of Ammonium Dizirconium Triphosphate and Hydrogen Dizirconium Triphosphate". Material Resource Bulletin (1984), 19(2), pp. 219-26. ABSTRACT ONLY
	77*	Padhi, et al., "Mapping of Transition Metal Redox Energies in Phosphates with NASICON Structure by Lithium Intercalation", Journal of the Electrochemical Society (1997), 144(8), pp. 2581-2586. ABSTRACT ONLY (corresponds to XP 2048304)
/T.P./	78*	Cotton and Wilkinson, "Advanced Inorganic Chemistry, 3rd Edition, Interscience Publishers, pp. 864-868. (1972).

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et al.	
Sheet Page 6 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

/T.P./	79*	Linden, "Handbook of Batteries, 2nd Edition", McGraw-Hill, pp. 36.4-36.9 (1995).
	80*	Gaubicher, et al., "Rhombohedral Form of $Li_3V_2(PO_4)_3$ as a Cathode in Li-Ion Batteries", Chem. Mater. (2000), 12(11), pp. 3240-3242. ABSTRACT ONLY
	81*	Sato, et. Al., "Enhancement of Discharge Capacity of $Li_3V_2(PO_4)_3$ by Stabilizing The Orthorhombic Phase At Room Temperature", Solid State Ionics (2000), 135 (1-4), pp. 137-142. ABSTRACT ONLY
	82*	Delmas, et al., "The Chemical Short Circuit Method ...", Mat. Res. Bull., Vol. 23, pp. 65-72 (month not available), 1988.
	83*	Okada, et al., "$Fe_2(SO_4)_3$ As A Cathode Material For Rechargeable Lithium Batteries", Proc. 36th Power Sources Conference at Cherry Hill, New Jersey (June 1994).
	84*	Delmas, et al., "A Nasicon-Type Phase As intercalation Electrode: Sodium Titanium Phosphate ($NaTi_2(PO_4)_3$)", Material Resource Bulletin (1987), 22(5), 631-9, (1987).
	85*	Nanjundaswamy, et al., "Synthesis, Redox Potential Evaluation and Electrochemical Characteristics of Nasicon-Related 3-D Framework Compounds", Solid State Ionics, 92, pp. 1-10 (November 1996).
	86*	Delmas, et al., "The Nasicon-Type Titanium Phosphates $ATi_2(PO_4)_3$ As Electrode Materials", Solid State Ionics (1988), Vol. Date 1988, 28-30 (pt.1), pp. 419-23.
	87*	Adachi, et al., "Lithium Ion Conductive Solid Electrolyte", Chemical Abstracts Accession No. 113:129692 (1989).
	88*	Hagenmuller, et al., "Intercalation in 3-D Skeleton Structures", Mater. Res. Soc. Symp. Proc. (1991), 210 (Solid State Ionics 2), pp. 323-34 (1991).
	89*	J. Gopalakrishnan and K. Kasthuri Rangan, "$V_2(PO_4)_3$: A Novel Nasicon-Type Vanadium Phosphate Synthesized by Oxidative Deintercalation of Sodium from $Na_3V_2(PO_4)_3$", Chemistry of Materials, Vol. 4, No. 4, pp. 745-747 (July/August 1992).
/T.P./	90*	K. Kasthuri Rangan and J. Gopalakrishnan, "New Titanium-Vanadium Phosphates of Nasicon and Langbeinite Structures, and Differences Between the Two Structures Toward Deintercalation of Alkali Metal", Journal of Solid State Chemistry, 109, pp. 116-121 (1994).

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER	/Thomas Parsons/	DATE CONSIDERED	11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

OMB 0651-0031

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et.al.	
Sheet Page 7 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

/T.P./	91*	Sisler, et al., "Chemistry A Systematic Approach", Oxford University Press, p. 746 (1980).
	92*	Padhi et al., "Lithium Intercalation Into Nasicon-Type...and $Li_2FeTi(PO_4)_3$"; 37th Power Sources Conference, Cherry Hill, New Jersey; pp.180-185 (Conference Date: June 17-20, 1996; published Oct. 15, 1996).
	93*	Ivanov-Schitz et al., "Electrical...Electrodes", Solid State Ionics, 91 pp. 93-99 (October 96).
	94*	Cretin et al., "Study...Sensors", JR. EP. Ceramic Soc., (1995) 15 (1149-56).
	95*	Chemical Abstract Services, (1995) XP 2048305.
	96*	Patents Abstracts of Japan (1994) Vol. 18, No. 64 (Abstract for JP 06251764).
	98*	International Search Report for PCT/US97/15544.
	99*	Chemical Abstract Services (1997); XP 2048304
↓	100	Delmas et al., "Ionic Conductivity in a New NASICON Related Solid Solution: $Na_{3+y}Cr_{2-y}Mg_y(PO_4)_3$, an Optical Characterization of the Skeleton Covalency" Mat. Res. Bull., Vol. 21, pp. 469-477 (1986).
/T.P./	101**	S. Okada, et al., "Characteristics of 3D Framework Cathodes With $(XO_4)^{n-}$ Polyanions", Prog. Batteries Battery Mater. (1997), 16, pp. 302-308.

** Abstract cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER /Thomas Parsons/	DATE CONSIDERED 11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. VT-1875/CON2	SERIAL NO. 10/681,563
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Barker et al.	
Sheet Page 8 of 8	FILING DATE 10/6/2003	GROUP ~~1745~~ 1795

/T.P./	102**	C. Masquelier, et al., "$Li_3Fe_2(XO_4)_3$, (X=P, As): Three Framework Structures As Hosts For The Reversible Insertion of Lithium", Proc. Power Sources Conf. (1996), 37th, pp. 188-191.
/T.P./	103**	K. Rangan, et al., "$AM^{V}M^{III}(PO_4)_3$: New Mixed-Metal Phosphates Having NASICON And Related Structures", Inorg. Chem. (1995), 34(7), pp. 1969-72.

** Abstract cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

* Cited in U.S. Serial No. 09/776,843 (pending), U.S. Serial No. 09/204,944 (now Patent No. 6,203,946) and/or U.S. Serial No. 08/717,979 (now Patent No. 5,871,866).

EXAMINER /Thomas Parsons/	DATE CONSIDERED 11/15/2007

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; conformance and not considered. Include copy of this form with next communication to applicant.